

New York State Department of Health

PFI: 1067

Clinical Laboratory Permit

CLIA: 33D0654341

Wadsworth Center

PO Box 509 Empire State Plaza

Albany NY 12201-0509

Director: Lawrence S. Sturman, M.D., Ph.D.

Owner: New York State Department of Health

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

Bacteriology

General

Blood pH and Gases

Cellular Immunology

Lymphoid Function

Lymphoid Immunophenotyping

Malignant Leukocyte Immunophenotyping

Non-Lymphoid Function

Non-Lymphoid Immunophenotyping

Clinical Chemistry

Cytokines

Cytogenetics

Cancer

Prenatal

Restricted

Diagnostic Immunology

Diagnostic Services Serology

Endocrinology

Fetal Defect Markers

Genetic Testing

Molecular

Hematology

Cellular Hematology

Cytohematology Diagnostic

Human Immunodeficiency Virus

General

Viral Identification

Immunohematology

Mycobacteriology

General S

Mycology

Direct Detection

General

Newborn Screening

Restricted to WCL&P

Oncology

Human Papillomavirus (HPV) Testing

Molecular and Cellular Tumor Markers

Soluble Tumor Markers

Parasitology

General

Toxicology

Blood Lead

Erythrocyte Protoporphyrin

Trace Elements

Renewal

Effective Date: July 1, 2009

Expiration Date: June 30, 2010

Page 1 of 2

Subject to Revocation

Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 45959

New York State Department of Health

PFI: 1067

Clinical Laboratory Permit

CLIA: 33D0654341

Wadsworth Center

PO Box 509 Empire State Plaza

Albany NY 12201-0509

Director: Lawrence S. Sturman, M.D., Ph.D.

Owner: New York State Department of Health

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

Ther. Sub. Mon./Quant. Tox.
Urinalysis

Urine Pregnancy Testing

Virology
General

Renewal

Effective Date: July 1, 2009

Expiration Date: June 30, 2010

Page 2 of 2

Subject to Revocation

Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 45959