

Figure 1

Maternal Sera AFP MoM




Figure 2

Amniotic Fluid AFP MoM




Figure 3

**Graphic Distribution of Second Trimester
Neural Tube Defect Risk Estimates**




Figure 4

**Graphic Distribution of Second Trimester
Trisomy 18 Risk Estimates**




Figure 5

Graphic Distribution of Second Trimester Trisomy 21 Triple Risk Estimates




Figure 6

Graphic Distribution of Second Trimester Trisomy 21 Quadruple Risk Estimates




Figure 7

MS AFP FEDM PT 1/08 Method Comparison




Figure 8

MS uE3 FEDM PT 1/08 Method Comparison




Figure 9

MS hCG FEDM PT 1/08 Method Comparison




Figure 10

MS Inhibin A FEDM PT 1/08 Method Comparison





Figure 11

AF AFP FEDM PT 1/08 Method Comparison



AFP All Lab

Abbott Asxym or IMx

Beckman Unicel or Access/2

Bayer ADVIA-Centaur or ACS-180

DPC Immulite or Immulite 2000

Figure 12

FT hCG FEDM PT 1/08 Method Comparison






Figure 13

FT PAPP- A FEDM PT 1/08 Method Comparison



Graphic Distribution of First Trimester
Trisomy 21 Risk Estimates

Figure 14



Graphic Distribution of First Trimester
Trisomy 18 Risk Estimates

Figure 15

